

# Swiftate Studio

**Prime Forest**

**Outdoor Decorative & Functional Lighting**

---

**April 2026, ISSUE 02**

---

**OUTDOOR LIGHTING SERIES**

---

**SWIFTATE**  
SWIFTATE-LIGHTING



Profile  
2026

# Com pany

01  
Pagora

03  
Lante

02  
Sombr

04  
Nova

# Directorory

2026  
New collection

05  
Mycena

07  
Fungo


09  
Stripe

06  
Hexa

08  
Corset

## PAGORA

Shaped as a pagoda with steady and elegant lines, it fits various outdoor walls and garden scenes. Soft light spreads evenly, combining decoration and practicality, adding tranquil oriental charm to your courtyard.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes. Dimensions and specifications subject to alterations without notice.

## PAGORA-26-1


### SPECIFICATION

OPTIC TYPE: E27/LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## PAGORA-26-2


### SPECIFICATION

OPTIC TYPE: E27/LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## PAGORA-26-3

### SPECIFICATION


OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS mm

SIZE: HV 200\*345  
 LV 200\*320



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### PAGORA-26-4

**SPECIFICATION**

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm

SIZE: LY 200\*434  
 200\*574



LV Version (E27)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### PAGORA-26-5

**SPECIFICATION**

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm

SIZE: LY 200\*620  
 200\*820



LV Version (LED12W)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### PAGORA-26-6

**SPECIFICATION**

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm

SIZE: HV 200\*954



HV Version (E27)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## SOMBR

Featuring a natural straw hat shape, it is light and casual with a wild leisure vibe. The soft light diffuses evenly, suitable for lawns and courtyards, adding relaxed and natural atmosphere to outdoor areas.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes. Dimensions and specifications subject to alterations without notice.

### SOMBR-26-1

**SPECIFICATION**


OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 PROWER: 12W  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### SOMBR-26-2

**SPECIFICATION**


OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 PROWER: 12W  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### SOMBR-26-3

**SPECIFICATION**


OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 PROWER: 12W  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### SOMBR-26-4

**SPECIFICATION**

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 PROWER: 12W  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm  
 SIZE: 210\*642/782/912



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### SOMBR-26-5

**SPECIFICATION**


OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 PROWER: 12W  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm  
 SIZE: 210\*642/782/912



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### SOMBR-26-6

**SPECIFICATION**


OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 PROWER: 12W  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm  
 SIZE: 210\*642/782/912



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## LANTE

Classic lantern outline with gentle and elegant light and shadow, ideal for both walls and lawns. The retro texture complements the natural surroundings, creating warm and healing ambiance at night.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes. Dimensions and specifications subject to alterations without notice.

## LANTE-26-1

### SPECIFICATION


OPTIC TYPE: E27/LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## LANTE-26-2

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65


### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm

SIZE: HV 185\*370  
 LV 185\*345



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## LANTE-26-3

### SPECIFICATION

OPTIC TYPE: E27  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## LANTE-26-4

### SPECIFICATION

OPTIC TYPE: E27  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## LANTE-26-4

### SPECIFICATION

OPTIC TYPE: E27  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## LANTE-26-6

### SPECIFICATION

OPTIC TYPE: E27  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## NOVA

Modern and simple UFO shape combines technological and design sense. With even and soft light, it fits modern-style courtyards, illuminating outdoor space and highlighting fashionable personality.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes. Dimensions and specifications subject to alterations without notice.

## NOVA-26-1

### SPECIFICATION


OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## NOVA-26-2

### SPECIFICATION


OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## NOVA-26-3

### SPECIFICATION

OPTIC TYPE: E27  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## NOVA-26-4

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm

SIZE: 210\*685/825/955



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## NOVA-26-5

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm

SIZE: 210\*685/825/955



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## NOVA-26-6

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm

SIZE: 210\*685/825/955



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## MYCENA

Inspired by the shadow of mushrooms in the forest, it features a soft and hazy shape with delicate light and shadow layers. Used as a wall light or lawn light, it gently glows in the night like fireflies in the woods, showing the tranquility and mystery of the primeval forest.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes. Dimensions and specifications subject to alterations without notice.

## MYCENA-26-1

### SPECIFICATION


OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm



LV Version (DC12W)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## MYCENA-26-2

### SPECIFICATION


OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm



LV Version (DC12W)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## MYCENA-26-3

### SPECIFICATION


OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm



LV Version (DC12W)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### MYCENA-26-4

**SPECIFICATION**

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65


**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm

SIZE: 200\*365/565/765



LV Version (DC12V)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### MYCENA-26-2

**SPECIFICATION**

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65


**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm

SIZE: 200\*642/782/912



LV Version (DC12V)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### MYCENA-26-3

**SPECIFICATION**

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65


**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**

mm

SIZE: 200\*642/782/912



LV Version (DC12V)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## HEXA

Graceful six-petal flower shape is exquisite and delicate, inspired by natural flowers. Installed on walls or lawns, it blooms like flowers in the dark, romantic, premium and highly decorative.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes. Dimensions and specifications subject to alterations without notice.

## HEXA-26-1


### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



## HEXA-26-2


### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



## HEXA-26-3

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



## HEXA-26-4

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65


### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm

SIZE: 215\*395/595/795



LV Version (DC12V)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## HEXA-26-5

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65


### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm

SIZE: 215\*395/595/795



LV Version (DC12V)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## HEXA-26-6

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS

mm

SIZE: 215\*663/803/933



LV Version (DC12V)



Patent No: ZL88201465.X  
 Customs Registration No: 854421900



## FUNGO

Round and cute mushroom shape is lively and friendly, specially designed for lawns and gardens. The warm and glare-free light blends naturally with green plants, restoring the original texture of primeval forests.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes. Dimensions and specifications subject to alterations without notice.

## FUNGO-26-1


### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## FUNGO-26-2

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## FUNGO-26-3

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900



## FUNGO-26-4

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## FUNGO-26-5

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## FUNGO-26-6

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900



### CORST-26-1


**SPECIFICATION**

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### CORST-26-2

**SPECIFICATION**

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

### CORST-26-3


**SPECIFICATION**

OPTIC TYPE: E27  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

**FINISHES**

- Sand Black
- Snowflake Grey

**DIMENSIONS**



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## CORST-26-4

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## CORST-26-5

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## CORST-26-6

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## STRIPE

Casual striped bamboo hat shape full of outdoor vacation vibe. The soft and comfortable light creates a relaxed and pleasant atmosphere for gardens and paths, natural and attractive.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes. Dimensions and specifications subject to alterations without notice.

## STRIPE-26-1


### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## STRIPE-26-2


### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## STRIPE-26-3

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## STRIPE-26-4

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## STRIPE-26-5

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

## STRIPE-26-5

### SPECIFICATION

OPTIC TYPE: LED (SMD)  
 CRI: Ra≥80  
 CCT: 3000K  
 VOLTAGE: 85-260V  
 MATERIAL: Die-cast + PC  
 WATERPROOF: IP65

### FINISHES

- Sand Black
- Snowflake Grey

### DIMENSIONS



Patent No: ZL88201465.X  
 Customs Registration No: 854421900

**Company: Zhongshan JunLin Lighting Co., Ltd.**

**No. 21, 2nd Road, Caosan Industrial Zone,  
Guzhen Town, Zhongshan City, Guangdong  
Province, P.R.China**

**Store: Xuntai Lighting/Swiftate Lighting**


**No.112-3, Xinxing Middle Road, Guzhen Town,  
Zhongshan City, Guangdong Province, P.R.China**

**Telephone: +8613822716898/+8613802667874**

**/+86 13928189693**

**E-mail: X.taistudio@hotmail.com**

**<https://swiftate.com>**



## Social



**/Swiftategroup**

**For up to date contact, please visit :<https://swiftate.com>**

**Due to the differences in test instruments and electronic components, the specific data may vary. Please confirm the specific parameters of the lamp before ordering to avoid mistakes. Dimensions and specifications subject to alterations without notice.**

**Pictures and contents in this brochure are for reference only, please refer to the actual product. All Rights Reserved. Reproduction Without Permission Is Prohibited.**

**Copyright © 2026 Swiftate lighting | Powered by Swiftate Lighting**

SWIFTATE

SWIFTATE-LIGHTING

---

<https://swiftate.com>  
swiftate group/xuntai studio