

Swiftate Studdie

Prime Forest

Outdoor Decorative & Functional Lighting

April 2026, ISSUE 02

OUTDOOR LIGHTING SERIES

SWIFTATE
SWIFTATE-LIGHTING



01
Pagora

03
Lante

02
Sombr

04
Nova

Director

2026
New collection

05
Mycena

07
Fungo

09
Stripe

06
Hexa

08
Corset

PAGORA

Shaped as a pagoda with steady and elegant lines, it fits various outdoor walls and garden scenes. Soft light spreads evenly, combining decoration and practicality, adding tranquil oriental charm to your courtyard.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes.
Dimensions and specifications subject to alterations without notice.

PAGORA-26-1


SPECIFICATION

OPTIC TYPE: E27/LED (SMD)
CRI: Ra≥80
CCT: 3000K
V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS
mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

PAGORA-26-2


SPECIFICATION

OPTIC TYPE: E27/LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS
mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

PAGORA-26-3

SPECIFICATION



OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS
mm

SIZE: HV 200*345
LV 200*320



Patent No: ZL88201465.X
Customs Registration No: 854421900

PAGORA-26-4

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm

SIZE: LV 200*434
200*574



Patent No: ZL88201465.X
Customs Registration No: 854421900

PAGORA-26-5

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm

SIZE: LV 200*620
200*820



Patent No: ZL88201465.X
Customs Registration No: 854421900

PAGORA-26-6

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm

SIZE: HV 200*954



Patent No: ZL88201465.X
Customs Registration No: 854421900

SOMBR

Featuring a natural straw hat shape, it is light and casual with a wild leisure vibe. The soft light diffuses evenly, suitable for lawns and courtyards, adding relaxed and natural atmosphere to outdoor areas.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes.
Dimensions and specifications subject to alterations without notice.

SOMBR-26-1

SPECIFICATION


OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
PROWER: 12W
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

SOMBR-26-2

SPECIFICATION



OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
PROWER: 12W
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

SOMBR-26-3

SPECIFICATION


OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
PROWER: 12W
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

SOMBR-26-4

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
PROWER: 12W
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm

SIZE: 210*642/782/912



Patent No: ZL88201465.X
Customs Registration No: 854421900

SOMBR-26-5

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
PROWER: 12W
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

email: sales@swiftate.com

SIZE: 210*642/782/912



Patent No: ZL88201465.X
Customs Registration No: 854421900

SOMBR-26-6

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
PROWER: 12W
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm

SIZE: 210*642/782/912



Patent No: ZL88201465.X
Customs Registration No: 854421900

LANTE

Classic lantern outline with gentle and elegant light and shadow, ideal for both walls and lawns. The retro texture complements the natural surroundings, creating warm and healing ambiance at night.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes.
Dimensions and specifications subject to alterations without notice.

LANTE-26-1

SPECIFICATION


OPTIC TYPE: E27/LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

LANTE-26-2

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm

SIZE: HV 185*370
LV 185*345



Patent No: ZL88201465.X
Customs Registration No: 854421900

LANTE-26-3

SPECIFICATION


OPTIC TYPE: E27
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

LANTE-26-4

SPECIFICATION

OPTIC TYPE: E27
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

LANTE-26-5

SPECIFICATION

OPTIC TYPE: E27
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

LANTE-26-6

SPECIFICATION

OPTIC TYPE: E27
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

NOVA

Modern and simple UFO shape combines technological and design sense. With even and soft light, it fits modern-style courtyards, illuminating outdoor space and highlighting fashionable personality.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes.
Dimensions and specifications subject to alterations without notice.

NOVA-26-1


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

NOVA-26-2


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

NOVA-26-3


SPECIFICATION

OPTIC TYPE: E27
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

NOVA-26-4

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm

SIZE: 210*685/825/955



Patent No: ZL88201465.X
Customs Registration No: 854421900

NOVA-26-5

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm

SIZE: 210*685/825/955



Patent No: ZL88201465.X
Customs Registration No: 854421900

NOVA-26-6

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm

SIZE: 210*685/825/955



Patent No: ZL88201465.X
Customs Registration No: 854421900

MYCENA

Inspired by the shadow of mushrooms in the forest, it features a soft and hazy shape with delicate light and shadow layers. Used as a wall light or lawn light, it gently glows in the night like fireflies in the woods, showing the tranquility and mystery of the primeval forest.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes.
Dimensions and specifications subject to alterations without notice.

MYCENA-26-1

SPECIFICATION


OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

MYCENA-26-2

SPECIFICATION


OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

MYCENA-26-3

SPECIFICATION


OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

MYCENA-26-4

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm

SIZE: 200*365/565/765



Patent No: ZL88201465.X
Customs Registration No: 854421900

MYCENA-26-5

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm

SIZE: 200*642/782/912



Patent No: ZL88201465.X
Customs Registration No: 854421900

MYCENA-26-6

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS

mm

SIZE: 200*642/782/912



Patent No: ZL88201465.X
Customs Registration No: 854421900

HEXA

Graceful six-petal flower shape is exquisite and delicate, inspired by natural flowers. Installed on walls or lawns, it blooms like flowers in the dark, romantic, premium and highly decorative.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes.
Dimensions and specifications subject to alterations without notice.

HEXA-26-1


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

HEXA-26-2


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

HEXA-26-3


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

HEXA-26-4

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm

SIZE: 215*395/595/795



LV Version (DC12W)



Patent No: ZL88201465.X
Customs Registration No: 854421900

HEXA-26-5

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm

SIZE: 215*395/595/795



LV Version (DC12W)



Patent No: ZL88201465.X
Customs Registration No: 854421900

HEXA-26-6

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm

SIZE: 215*663/803/933



LV Version (DC12W)



Patent No: ZL88201465.X
Customs Registration No: 854421900

FUNGO

Round and cute mushroom shape is lively and friendly, specially designed for lawns and gardens. The warm and glare-free light blends naturally with green plants, restoring the original texture of primeval forests.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes.
Dimensions and specifications subject to alterations without notice.

FUNGO-26-1


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

FUNGO-26-2


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

FUNGO-26-3


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS mm



Patent No: ZL88201465.X
Customs Registration No: 854421900

FUNGO-26-4

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm

SIZE: 210*699/839/969



Patent No: ZL88201465.X
Customs Registration No: 854421900

FUNGO-26-5

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm

SIZE: 210*699/839/969



Patent No: ZL88201465.X
Customs Registration No: 854421900

FUNGO-26-6

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65



FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm

SIZE: 210*699/839/969



Patent No: ZL88201465.X
Customs Registration No: 854421900

CORSET

Neat corset-inspired lines are simple, elegant and exquisite. The restrained and soft light improves spatial texture, suitable for various garden styles, combining practicality and aesthetics.



Due to the differences in test instruments and electronic components, the specific data may vary.

Please confirm the specific parameters of the lamp before ordering to avoid mistakes.
Dimensions and specifications subject to alterations without notice.

CORSET-26-1


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

CORSET-26-2


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

CORSET-26-3


SPECIFICATION

OPTIC TYPE: E27
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

CORSET-26-4

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm

SIZE: 200*427/567



LV Version (DC12W)



Patent No: ZL88201465.X
Customs Registration No: 854421900

CORSET-26-5

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm

SIZE: 200*400/600/800



LV Version (DC12W)



Patent No: ZL88201465.X
Customs Registration No: 854421900

CORSET-26-6

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65


FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS

mm

SIZE: 200*400/600/800




LV Version (DC12W)



Patent No: ZL88201465.X
Customs Registration No: 854421900

Casual striped bamboo hat shape full of outdoor vacation vibe. The soft and comfortable light creates a relaxed and pleasant atmosphere for gardens and paths, natural and attractive.



STRIPE-26-1


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

STRIPE-26-2


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

STRIPE-26-3


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

- Sand Black
- Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

STRIPE-26-4

SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

STRIPE-26-5


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

STRIPE-26-5


SPECIFICATION

OPTIC TYPE: LED (SMD)
CRI: Ra≥80
CCT: 3000K
VOLTAGE: 85-260V
MATERIAL: Die-cast + PC
WATERPROOF: IP65

FINISHES

-  Sand Black
-  Snowflake Grey

DIMENSIONS



Patent No: ZL88201465.X
Customs Registration No: 854421900

d.

China

Store: Xuntai Lighting/Swiftate Lighting

No.112-3, Xinxing Middle Road, Guzhen Town,
Zhongshan City, Guangdong Province, P.R.China

/+86 13928189693

E-mail: X.taistudio@hotmail.com

<https://swiftate.com>

[f](#)
[i](#)
[▶](#)
[in](#)
[X](#)

/Swiftategroup

For up to date contact, please visit :<https://swiftate.com>

Due to the differences in test instruments and electronic components, the specific data may vary. Please confirm the specific parameters of the lamp before ordering to avoid mistakes. Dimensions and specifications subject to alterations without notice.

Pictures and contents in this brochure are for reference only, please refer to the actual product. All Rights Reserved. Reproduction Without Permission Is Prohibited.

Copyright © 2026 Swiftate lighting IPowered by Swiftate Lighting

SWIFTATE

SWIFTATE-LIGHTING

<https://swiftate.com>
swiftate group/xuntai studio
email: sales@swiftate.com